Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: UMAGE

Supplier's address: UMAGE ApS, Havnegade 29, 1058 Copenhagen, DK

Model identifier: 2255 (light-source)

Type of light source:

| Lighting technology used: | LED | Non-directional or directional: | NDLS |
|--|----------------------|---------------------------------|---------------------------------|
| Light source cap-type (or other electric interface) | 12 VDC, 300mA Max | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No |
| Colour-tuneable light source: | No | Envelope: | - |
| High luminance light source: | No | | |
| Anti-glare shield: | No | Dimmable: | Only with spe- cific dimmers |


Product parameters

Parameter Parameter Value Value **General product parameters:** Energy consumption in on-4 Energy efficiency F mode (kWh/1000 h), rounded class up to the nearest integer Useful luminous flux (duse), in-390 in Correlated colour 2 700 dicating if it refers to the flux in Sphere (360°) temperature, a sphere (360°), in a wide cone rounded to the nearest 100 K, or the (120°) or in a narrow cone (90°) range of correlated colour temperatures, rounded to the nearest 100 K, that can be set 3,5 0,00 On-mode power (P_{on}), Standby power (P_{sb}), expressed in W expressed in W and rounded to the second decimal Colour rendering in-93 Networked standby power (P_{net}) for CLS, expressed in W dex, rounded to the and rounded to the second decnearest integer, or the range of CRI-valimal ues that can be set Outer dimen-47 Spectral power dis-See image Height sions without tribution in the in last page Width 47 separate conrange 250 nm to 800 1 Depth trol gear, lightnm, at full-load

| ing control parts and non- lighting con- trol parts, if any (millime- tre) Claim of equivalent power ^(a) | _ | If yes, equivalent power (W) | - |
|---|--------------|---|----------------|
| | | Chromaticity coordi- nates (x and y) | 0,463 0,420 |
| Parameters for LED and OLED li | ght sources: | | |
| R9 colour rendering index value | 55 | Survival factor | 1,00 |
| the lumen maintenance factor | 0,96 | | |
| (2) | 1 | l | |

(a)'-' : not applicable;

(b)_{'-'} : not applicable;



Model placed on the Union market from 23/06/2024



EPREL registration number: 2052894

Supplier: UMAGE ApS (Manufacturer)

Customer care service:

Name: UMAGE ApS

Email: info@umage.com

Address: Havnegade 29

1058 Copenhagen Denmark https://eprel.ec.europa.eu/qr/20 52894

Website: www.umage.com

Website: www.umage.com

Phone: +45 31 39 31 31